



Product Brochure

in·lite 
#CahayaUntukIndonesia

www.in-lite.id

- Bulb Light
- Panel Light
- Flood Light
- Tube Light
- Integrated Tube
- Street Light
- Spot Light
- Flexi Strip
- Downlight
- Ceiling Light
- Wall Light
- Highbay
- Driver
- Fixture & Accessories
- Track Light

Untuk lebih lanjut, bisa menghubungi kami di :



0811 140 2525

LED 90%
ILLUMINANT LAMP
Energy Saving 



BULB LIGHT INB007

- > 3w, 5w, 7w, 9w, 11w
15w, 18w, 25w, 30w
- > Cool Daylight, Cool White, Warm White
- > 100v-250v
- > Base : E27



BULB LIGHT INB010

- > 3w, 5w, 7w, 9w, 11w, 14w, 18w
- > Cool Daylight, Warm White
- > 90v-250v
- > Base : E27



BULB LIGHT INBC001

- > 20w, 30w, 50w, 100w
- > Cool Daylight, Warm White
- > 90v-250v
- > Base : E27 (20w, 30w, 50w)
- > Base : E40 (100w)



BULB LIGHT INBC002

- > 6w, 10w, 14w, 20w
30w, 40w, 50w
- > Cool Daylight
- > 90v-250v
- > Base : E27



BULB LIGHT INCL003 CANDLE

- > 4w
- > Cool Daylight, Warm White
- > 220v-240v
- > Base : E14 & E27



BULB LIGHT INCL005 CANDLE

- > 4w
- > Cool Daylight, Warm White
- > 220v-240v
- > Base : E27 & E14



BULB LIGHT INBS300 STICK BULB

- > 6w, 9w, 12w, 15w
- > Cool Daylight, Warm White
- > 130v-240v
- > Base : E27



BULB LIGHT INSM033 SENSOR CAHAYA

- > 9w
- > Cool Daylight
- > 220v-240v
- > Base : E27



BULB LIGHT INBE005 EMERGENCY BULB

- > 12w
- > Cool Daylight
- > 100v-240v
- > Base : E27



PANEL LIGHT INPS628R PANEL INBOW

- > 3w, 6w, 9w, 12w, 18w
- > Cool Daylight, Warm White
- > 220v-240v



PANEL LIGHT INPS628S PANEL INBOW

- > 3w, 6w, 9w, 12w, 18w
- > Cool Daylight, Warm White
- > 220v-240v



PANEL LIGHT INSS628R PANEL OUTBOW

- > 6w, 12w, 18w
- > Cool Daylight, Warm White
- > 220v-240v





PANEL LIGHT
INSS628S
PANEL OUTBOW

- > 6w, 12w, 18w
- > Cool Daylight, Warm White
- > 220v-240v



FLOOD LIGHT
INF027

- > 10w, 20w, 30w, 50w, 100w
- > Cool Daylight, Warm White
- > 220v-240v
- > IP65



FLOOD LIGHT
INF028

- > 10w, 20w, 30w, 50w, 100w
- > Cool Daylight, Warm White
- > 220v-240v
- > IP65



FLOOD LIGHT
INF029

- > 200w
- > Cool Daylight, Warm White
- > 220v-240v
- > IP65



FLOOD LIGHT
INF303
SOLAR FLOOD LIGHT

- > 50w, 100w, 150w
- > Cool Daylight
- > Lampu bertenaga Surya
- > Dapat menyala lebih dari 10 jam



TUBE LIGHT
INT5003

- > 5w, 10w, 20w
- > Cool Daylight, Warm White
- > 220V-240V



TUBE LIGHT
INT8G004

- > 9w, 18w
- > Cool Daylight, Warm White
- > 220v-240v
- > 9w : 900Lm
- 18w : 2000Lm
- > Base : G13



TUBE LIGHT
INT8G006

- > 9w, 18w
- > Cool Daylight
- > 220v-240v
- > 9w : 1080Lm
- 18w : 2160Lm
- > Base : G13



TUBE LIGHT
INT8G008

- > 9w, 18w
- > Daylight, Warm White
- > 220v-240v
- > 9w : 800Lm
- 18w : 1800Lm
- > Base : G13



INTEGRATED TUBE
INTE001

- > 18w, 36w
- > Cool Daylight
- > 165v-265v



INTEGRATED TUBE
INTE002

- > 18w, 52w
- > Cool Daylight
- > Opal / Prismatic Cover
- > 165v-265v



STREET LIGHT
INSL003

- > 50w, 100w, 150w
- > Cool Daylight, Warm White
- > 220v-240v
- > IP65
- > include Lightning Protector



STREET LIGHT INSL007

- > 30w, 50w, 100w
- > Cool Daylight
- > 220v-240v
- > IP65
- > include Lightning Protector



STREET LIGHT INSL009

- > 30w, 50w
- > Cool Daylight
- > DC 12v
- > IP65



SPOT LIGHT INMRI603

- > 3w, 5w, 7w
- > Cool Daylight, Cool White
- > Warm White
- > 220v-240v
- > Base : GU5,3



SPOT LIGHT INMRI603D

- > 7w
- > Cool Daylight, Warm White
- > 220v-240v
- > Base : GU5,3
- > Dimmable



SPOT LIGHT INMRI607

- > 3w, 5w, 7w
- > Cool Daylight, Warm White
- > 12v
- > Base : GU5,3



SPOT LIGHT INMRI607D

- > 5w, 7w
- > Cool Daylight, Warm White
- > 12v
- > Base : GU5,3
- > Dimmable



SPOT LIGHT INP380I

- > 15w
- > Cool Daylight, Warm White
- > 220v-240v
- > Base : E27
- > IP65



SPOT LIGHT INP300I

- > 10w
- > Cool Daylight, Warm White
- > 220v-240v
- > Base : E27
- > IP65



SPOT LIGHT INP1607

- > 5w, 8w
- > Cool Daylight, Warm White
- > 220v-240v
- > Base : E27



SPOT LIGHT INPI603D

- > 7w
- > Cool Daylight, Warm White
- > 220v-240v
- > Base : GU10
- > Dimmable



FLEXI STRIP INFS00I

- > 4,8w/m ; 14,4w/m
- > Daylight, Warm White
- > DC 12v
- > IP20, IP67



FLEXI STRIP INFS012

- > 14,4w/m
- > Daylight, Warm White
- > DC 12v
- > IP20, IP65



FLEXI STRIP INFS280

- > 8w
- > Cool Daylight, Warm White, Blue
- > 220v-240v
- > include socket INFS280-S



FLEXI STRIP INFS282

- > 8w
- > Cool Daylight, Warm White, Blue
- > 220v-240v
- > include socket INFS282-S



DOWNLIGHT INDC232

- > 5w, 8w
- > Cool Daylight, Warm White
- > 220v-240v
- > CRI: ≥80
- > Beam Angle : 30°



DOWNLIGHT INDC240

- > 3w, 7w, 11w, 20w, 36w
- > Warm White / CCT Switch
- > 220v-240v
- > CRI: ≥90
- > Beam Angle : 24°
- > Dimmable (optional)



DOWNLIGHT INDS602R SLIM DOWNLIGHT

- > 5,5w ; 7,5w ; 12w
- > 16w ; 18w ; 21w
- > Cool Daylight, Warm White
- > 220v-240v



CEILING LIGHT INCE116

- > 12w, 28w
- > Cool Daylight
- > 180v-240v



WALL LIGHT INWL001

- > 8w, 12w
- > Cool Daylight, Warm White
- > 220v-240v
- > IP65



WALL LIGHT INWL003

- > 8w, 12w, 20w
- > Cool Daylight, Warm White
- > 220v-240v
- > IP65



WALL LIGHT INWL005

- > 20w
- > Cool Daylight, Warm White
- > 220v-240v
- > IP65



WALL LIGHT INWL230

- > 4w
- > Cool Daylight, Warm White
- > 220v-240v
- > IP65



WALL LIGHT INWL232

- > 4w
- > Cool Daylight, Warm White
- > 220v-240v
- > IP65



WALL LIGHT INWL234

- > 4w
- > Cool Daylight, Warm White
- > 220v-240v
- > IP65



WALL LIGHT INWL236

- > 4w
- > Cool Daylight, Warm White
- > 220v-240v
- > IP65

SNI



WALL LIGHT INWL238 Black

- > 3w
- > Cool Daylight, Warm White
- > 220v-240v
- > IP65

SNI



WALL LIGHT INWL238 White

- > 3w
- > Cool Daylight, Warm White
- > 220v-240v
- > IP65

SNI



HIGHBAY INHB002

- > 70w, 100w, 150w
- > Daylight
- > 220v-240v
- > Beam Angle : 120°

SNI



HIGHBAY INHB004

- > 100w, 150w, 200w
- > Cool Daylight
- > 100v-240v
- > Beam Angle : 120°
- > IP65




DRIVER INDR001 FLEXI STRIP DRIVER

- > 36w
- > Output : 12v
- > Input : 100v-264v
- > Frequency Range : 50-60Hz
- > IP20




DRIVER INDR001 FLEXI STRIP DRIVER

- > 60w
- > Output : 12v
- > Input : 100v-264v
- > Frequency Range : 50-60Hz
- > IP20



DRIVER INDR001 FLEXI STRIP DRIVER

- > 120w
- > Output : 12v
- > Input : 176v-264v
- > Frequency Range : 50-60Hz
- > IP20



DRIVER INDR001 FLEXI STRIP DRIVER

- > 250w
- > Output : 12v
- > Input : 220v
- > Frequency Range : 50-60Hz
- > IP20




DRIVER INDR020-1 SWITCH CCT

- > 5w-7w 120ma
- > Input : 170v-240v
- > Output : 21v-80v 260ma
- > Frequency Range : 50-60Hz




DRIVER INDR020-2 DIMMING

- > 5w-7w 120ma
- > Input : 170v-240v
- > Output : 21v-80v 260ma
- > Frequency Range : 50-60Hz



DRIVER INDR020-3 SWITCH CCT

- > 5,5w-6,5w 250ma
- > Input : 170v-240v
- > Output : 12v-21v 250ma
- > Frequency Range : 50-60Hz



DRIVER
INDR020-4
TUNEABLE CCT
 > 5,5w-7,5w 250ma
 > Input : 170v-240v
 > Output : 12v-21v 250ma
 > Frequency Range : 50-60Hz



DRIVER
INDE702
EMERGENCY DRIVER
 > 3-60w
 > Input : 220v
 > Frequency Range : 50-60Hz
 > Charging Time : 24 Hours
 > Emergency Time ≥90 minutes



DRIVER
INDE704
TUBE LIGHT -
EMERGENCY DRIVER
 > 18w
 > Input : 220v
 > Frequency Range : 50-60Hz
 > Charging Time : 24 Hours
 > Emergency Time ≥90 minutes



DRIVER
INDE706
PANEL LIGHT -
EMERGENCY DRIVER
 > 3-18w
 > Input : 220v
 > Frequency Range : 50-60Hz
 > Charging Time : 24 Hours
 > Emergency Time ≥90 minutes



FIXTURE & ACCESSORIES
INF004
FIXTURE for
TUBE LIGHT
 > 60cm x 3,5cm
 122cm x 3,5cm
 > Material : Aluminium
 > Double Sided Power Input



FIXTURE & ACCESSORIES
INF007
FIXTURE for
TUBE LIGHT
 > 60cm x 3,5cm
 122cm x 3,5cm
 > Material : Aluminium
 > Single Sided Power Input



FIXTURE & ACCESSORIES
INF036
FIXTURE for
MR16 GU53/PAR 16
 > Color : White, Black
 > Body Size : 90x45cm
 > Cut Size : 75mm
 > Adjustable




FIXTURE & ACCESSORIES
INF038
FIXTURE for
MR16 GU53/PAR 16
 > Color : White, Black
 > Body Size : 92x27cm
 > Cut Size : 80mm
 > Double Ring
 > Adjustable



FIXTURE & ACCESSORIES
INF040
FIXTURE for
MR16 GU53/PAR 16
 > Color : White, Black
 > 220v-240v 50/60Hz



FIXTURE & ACCESSORIES
INF044
FIXTURE for
PAR16 E27
 > Color : White, Black
 > Material : Steel



FIXTURE & ACCESSORIES
INF046-B
FIXTURE for
Modul / MR16
 > Black Ring
 > Pearl Black Cup
 > Body Size : 85x1130mm
 > Cut Size : 75mm




FIXTURE & ACCESSORIES
INF046-W
FIXTURE for
Modul / MR16
 > White Ring
 > Matte White Cup
 > Body Size : 85x1130mm
 > Cut Size : 75mm



FIXTURE & ACCESSORIES
INF048-1
FIXTURE for
Modul / MR16
 > White Ring
 > Cut Size : 75mm



FIXTURE & ACCESSORIES
INF048-2
FIXTURE for
Modul / MR16
 > White Ring
 > Cut Size : 75mm



FIXTURE & ACCESSORIES
INF048-3
FIXTURE for
Modul / MR16
 > White Ring
 > Cut Size : 75mm



FIXTURE & ACCESSORIES
INF048-4
FIXTURE for Modul / MR16
 > White Ring
 > Cut Size : 75mm



FIXTURE & ACCESSORIES
INF048-5
FIXTURE for Modul / MR16
 > White Ring
 > Cut Size : 75mm



FIXTURE & ACCESSORIES
INF060
FIXTURE for E27 Inbow
 > 3 inch, 4 inch, 5 inch
 > Frost / Mirror
 > Cut Size : 125mm
 > include Frame
 > Material : Iron



FIXTURE & ACCESSORIES
INF062
FIXTURE for E27 Outbow
 > 4 inch, 5 inch
 > Frost White
 > Mirror Black, Mirror White
 > Body Size : 90x112mm
 > Material : Iron



FIXTURE & ACCESSORIES
INF100
FIXTURE for PAR30 / E27 Outbow
 > Black / White
 > Material : Steel



FIXTURE & ACCESSORIES
INDM001
DIMMER
 > 350w
 > 220v-240v ~ 50/60Hz



FIXTURE & ACCESSORIES
INM301
MODULE
 > 1.2w
 > Daylight
 > 12v
 > IP66
 > Clear / Frosted



FIXTURE & ACCESSORIES
INM402-A
MODULE
 > 7w 120-140ma
 > 42v
 > CRI : ≥80



FIXTURE & ACCESSORIES
INM402-B
MODULE
 > 7w 120-140ma
 > 42v
 > CRI : ≥90



FIXTURE & ACCESSORIES
INM402-C
MODULE - 3 CCT
 > 6,5w 220-260ma
 > 18v
 > CRI: ≥80



FIXTURE & ACCESSORIES
INRB302
RE-CHARGEABLE BATTERY
 > 6-11-3000



FIXTURE & ACCESSORIES
INRB304
RE-CHARGEABLE BATTERY
 > 9-11-4500



FIXTURE & ACCESSORIES
INTA273-I
CONNECTOR
 > Black, White



FIXTURE & ACCESSORIES
INTA273-L
CONNECTOR
 > Black, White



FIXTURE & ACCESSORIES
INTA273-R
CONNECTOR
 > Black, White



FIXTURE & ACCESSORIES
INTA273-B
TRACK BAR
 > Black, White
 > 1 meter, 2 meter



TRACK LIGHT
INTA273-White
 > 10w, 20w, 30w
 > Cool DayLight, Warm White
 > 90V-265V
 > CRI: ≥80
 > Optical Lens : 24°



TRACK LIGHT
INTA273-Black
 > 10w, 20w, 30w
 > Cool DayLight, Warm White
 > 90V-265V
 > CRI: ≥80
 > Optical Lens : 24°